


CERTIFICATE OF ANALYSIS

PRODUCT NAME : Secretropin Rx

BATCH NUMBER : 22298

MANUFACTURE DATE : 01/05/2017

| TEST METHOD # | SPECIFICATION | RESULTS BULK, TOP | RESULTS BULK, BOTTOM | RESULTS FINISHED PRODUCT | | |
|---------------------------------------|--|-------------------------|----------------------------|-----------------------------|----------|----------|
| | | | | BEG | MID | END |
| Appearance WI-A-11 | Off-white emulsion. Needs to be shaken well. | PASS | PASS | PASS | PASS | PASS |
| Identification, IR WI-A-12 | TMS | CONFORMS | CONFORMS | CONFORMS | CONFORMS | CONFORMS |
| Odor WI-A-11 | Fruity | PASS | PASS | PASS | PASS | PASS |
| Specific Gravity @ 25°C WI-A-18 | 0.998 - 1.103 | 1.049 | 1.049 | 1.049 | 1.049 | 1.049 |
| pH @ 25°C WI-A-14 | 4.75 - 5.77 | 5.56 | 5.56 | 5.60 | 5.60 | 5.60 |
| Composition (DW), % WI-A-13 | 14.3 - 17.3 | 16.0 | 16.1 | 16.1 | 16.0 | 16.3 |
| Heavy Metals USP | NMT 5 ppm | PASS | PASS | N/R | N/R | N/R |
| Total Plate Count USP | < 250 cfu/g | N/R | N/R | COMPOSITE < 10 cfu/g | | |
| Yeast and Mold USP | < 100 cfu/g | N/R | N/R | COMPOSITE < 10 cfu/g | | |


QUALITY ASSURANCE MANAGER
NUTRASCIENCE LABS